

		Petrol engines			
		GLC 250 4MATIC	Mercedes-AMG GLC 43 4MATIC	Mercedes-AMG GLC 63 4MATIC	Mercedes-AMG GLC 63 S 4MATIC
Model					
Engine					
Total displacement	cc	1,991	2,996	3,982	3,982
Arrangement/cylinders/valves		in-line/4/16	V/6/24	V/8/32	V/8/32
Fuel delivery		Petrol injection with turbocharger	Electronically-controlled direct injection	Electronically-controlled direct injection	Electronically-controlled direct injection
Power ¹	hp (kW) at rpm	211 (155)/5,500	367 (270)/5,500–6,000	476 (350)/5,500–6,250	510 (375)/5,500–6,250
Torque ¹	Nm at rpm	350/1,200–4,000	520/2,500–4,500	650/1,750–4,500	700/1,750–4,500
Compression ratio		9.8:1	10.5:1	10.5:1	10.5:1
Transmission					
9G-TRONIC PLUS 9-speed automatic		●	●	–	–
AMG SPEEDSHIFT MCT 9-speed automatic		–	–	●	●
Tyre sizes					
Front		235/65 R 18	235/55 R 19	235/55 R 19	265/45 R 20
Rear		235/65 R 18	255/50 R 19	255/50 R 19	295/40 R 20

Model	Petrol engines			
	GLC 250 4MATIC	Mercedes-AMG GLC 43 4MATIC	Mercedes-AMG GLC 63 4MATIC	Mercedes-AMG GLC 63 S 4MATIC

Performance

Acceleration 0–62 mph	sec	7.3	4.9	4.0	3.8
Top speed	mph	138	155 ²	155	174

Weights and capacities

Kerb weight ³	kg	1,760	1,875	2,010	2,020
Perm. Gross Vehicle Weight	kg	2,430	2,460	2,590	2,590
Towing capacity - unbraked		750	750	750	750
braked	kg	2,400	2,170	2,170	2,170
Boot capacity - max. seats up		500	500	500	500
max. seats down	l	1,400	1,400	1,400	1,400
Fuel tank capacity/of which reserve	l	66/7	66/7	66/10	66/10
Turning circle	m	11.8	12.1	12.1	12.1
Wading depth	mm	300	300	200	200

²Electronically limited

³Figures according to Directive 92/21/EC (kerb weight with fuel tank 90% full, driver, 68 kg, and luggage, 7 kg) for standard-specification vehicles. Optional extras and accessories will generally increase this figure and reduce the payload capacity accordingly

Model	Petrol engines			
	GLC 250 4MATIC	Mercedes-AMG GLC 43 4MATIC	Mercedes-AMG GLC 63 4MATIC	Mercedes-AMG GLC 63 S 4MATIC

Fuel consumption^{4,5,6}

Combined (consumption dependent on chosen optional equipment)	l/100km mpg	8.9–9.7 31.7–29.1	10.5–11.3 26.9–25.0	12.0–12.6 23.5–22.4	12.2–12.6 23.2–22.4
---	----------------	----------------------	------------------------	------------------------	------------------------

CO₂ emissions^{5,6,*}

g/km

Emissions standard	EU6	EU6	EU6	EU6
18" alloy wheels (235/60 tyres)	173	-	-	-
19" alloy wheels (255/50 tyres)	175	220	262	-
20" alloy wheels (285/40 tyres)	175	220	268	267
21" AMG alloy wheels (255/40 tyres)	-	223	268	267

Insurance

Group rating	34–35	44	47	47–49
--------------	-------	----	----	-------

Insurance ratings may vary depending on model specification. Please refer to <http://www.thatcham.org/abigrouprating/> for further details

⁴The choice of wheels and transmission may affect CO₂ emissions and corresponding Road Fund Licence ⁵The choice of wheels and transmission may affect CO₂ emissions and corresponding Road Fund Licence

⁶The indicated values were determined according to the prescribed measurement method – Worldwide Harmonised Light Vehicle Test Procedure (WLTP). Figures shown may include options which are not available in the UK.

*CO₂ figures have been converted into NEDC-equivalent values for use with the current VED and BIK tax legislation.

Figures shown are for comparability purposes; only compare with other cars tested to the same technical procedures. Figures may not reflect real life driving results, which will depend upon a number of factors including factory-fitted options, accessories fitted (post registration), variations in weather, driving styles and vehicle load. Further information about the test used to establish fuel consumption and CO₂ figures can be found at <http://www.mercedes-benz.co.uk/WLTP>

Sport

